Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L15	2205	((releas$5 or free$5) with (memory or storage)) same ((encod$3 or cod$3) with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:44
L16	67	15 and ((encod$5 or cod$5) with (memory or storage) with (color or chrom$6 or hue) with (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:22
L17	26	16 and ((releas$5 or free$5) with (memory or storage) with control$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:23
L18	14	(control$5 with (releas$5 or free$5) with (memory or storage)) same (((encod$3 or cod$3) with data) with (color or hue or chrom$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:46
L19	13	(control$5 with (releas$5 or free$3) with (memory or storage)) same (((encod$3 or cod$3) with data) with (color or hue or chrom$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:46
L20	12	(control$5 with (releas$5 or (free$3 not freez$5)) with (memory or storage)) same (((encod$3 or cod$3) with data) with (color or hue or chrom$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:51
L21	1	"4819063".pn. and (releas$5 with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:50
L22	10	(control$5 with (releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5) with (memory or storage)) same (((encod$3 or cod$3) with data) with (color or hue or chrom$7) with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:55
L23	57	(control$5 with (releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5) with (memory or storage)) and (((encod$3 or cod$3) with data) with (color or hue or chrom$7) with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:15
L24	1	23 and (measur$5 with distribut$5 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:58

L25	4	23 and (measur$5 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:58
L26	20	23 and (detect$5 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:05
L27	120	((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5) with (memory or storage) with (space or block or area)) and (((encod$3 or cod$3 or compress$5) with data) with (color or hue or chrom$7) with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:16
L28	135	((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5) with (memory or storage) with (space or block or area)) and (((encod$3 or cod$3 or compress$5) with (information or data)) with (color or hue or chrom$7) with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:17
L29	126	28 and ((memory or storage) with (control$5 or manag$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:17
L30	65	29 and ((color or hue or chrom$7) with (measur$5 or determin$5 or judg$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:20
L31	1	29 and ((color or hue or chrom$7) with distribut$5 with (measur$5 or determin$5 or judg$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:20
L32	10	29 and ((color or hue or chrom$7) with distribut$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:21
L33	121	29 and ((color or hue or chrom$7) with (component) (measur$5 or determin$5 or judg$5 or calculat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:22
L34	20	29 and ((color or hue or chrom$7) with (component) with (measur$5 or determin$5 or judg$5 or calculat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:24

L35	10	29 and ((color or hue or chrom$7) with (component) same (releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:25
L36	21	(((detect$5 or measur$5 or determin$5 or judg$5 or discriminat$5) with (color or hue or chrom$7) with (component)) same ((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5)) with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:33
L37	76	(((detect$5 or measur$5 or determin$5 or judg$5 or discriminat$5) with (color or hue or chrom$7) with (component)) and ((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5)) with (memory or storage) with (space or area or block))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:36
L38	7	(((detect$5 or measur$5 or determin$5 or judg$5 or discriminat$5) with (color or hue or chrom$7) with (component)) and ((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5)) with (memory or storage) with (space or area or block)) and (((encod$5 or compress$5) with (color or hue or chrom$7) with (data or information)) with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:43
L39	1	(((detect$5 or measur$5 or determin$5 or judg$5 or discriminat$5) with (color or hue or chrom$7) with (component)) and ((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5)) with (memory or storage) with (space or area or block) with (color or hue or chrom$7) with component) and (((encod$5 or compress$5) with (color or hue or chrom$7) with (data or information)) with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:48
L40	4	(((detect$5 or measur$5 or determin$5 or judg$5 or discriminat$5) with (color or hue or chrom$7) with (component)) and ((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5)) with (memory or storage) with (space or area or block) with (color or hue or chrom$7) with component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:08
L41	2	"286974".ap. and haneda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:52

L42	1	41 and (color with component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:52
L43	0	41 and (detect$5 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:52
L44	0	41 and (measur$5 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:52
L45	1	41 and (releas$5 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:52
L46	6	((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5) with (memory or storage) with (space or area or block)) same (((color or hue or chrom$7) with component) with (distribut$5 or concentrat$5 or one or monochrom$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:15
L47	12	((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5) with (memory or storage) with (space or area or block)) and (((color or hue or chrom$7) with component) with (distribut$5 or concentrat$5 or one or monochrom$5)) and ((memory or storage) with (encod$5 or compress$5) with (data or information) with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 17:17

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L15	2205	((releas$5 or free$5) with (memory or storage)) same ((encod$3 or cod$3) with data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:44
L16	67	15 and ((encod$5 or cod$5) with (memory or storage) with (color or chrom$6 or hue) with (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:22
L17	26	16 and ((releas$5 or free$5) with (memory or storage) with control$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:23
L18	14	(control$5 with (releas$5 or free$5) with (memory or storage)) same (((encod$3 or cod$3) with data) with (color or hue or chrom$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:46
L19	13	(control$5 with (releas$5 or free$3) with (memory or storage)) same (((encod$3 or cod$3) with data) with (color or hue or chrom$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:46
L20	12	(control$5 with (releas$5 or (free$3 not freez$5)) with (memory or storage)) same (((encod$3 or cod$3) with data) with (color or hue or chrom$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:51
L21	1	"4819063".pn. and (releas$5 with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:50
L22	10	(control$5 with (releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5) with (memory or storage)) same (((encod$3 or cod$3) with data) with (color or hue or chrom$7) with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:55
L23	57	(control$5 with (releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5) with (memory or storage)) and (((encod$3 or cod$3) with data) with (color or hue or chrom$7) with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:15
L24	1	23 and (measur$5 with distribut$5 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:58

L25	4	23 and (measur$5 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 15:58
L26	20	23 and (detect$5 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:05
L27	120	((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5) with (memory or storage) with (space or block or area)) and (((encod$3 or cod$3 or compress$5) with data) with (color or hue or chrom$7) with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:16
L28	135	((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5) with (memory or storage) with (space or block or area)) and (((encod$3 or cod$3 or compress$5) with (information or data)) with (color or hue or chrom$7) with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:17
L29	126	28 and ((memory or storage) with (control$5 or manag$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:17
L30	65	29 and ((color or hue or chrom$7) with (measur$5 or determin$5 or judg$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:20
L31	1	29 and ((color or hue or chrom$7) with distribut$5 with (measur$5 or determin$5 or judg$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:20
L32	10	29 and ((color or hue or chrom$7) with distribut$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:21
L33	121	29 and ((color or hue or chrom$7) with (component) (measur$5 or determin$5 or judg$5 or calculat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:22
L34	20	29 and ((color or hue or chrom$7) with (component) with (measur$5 or determin$5 or judg$5 or calculat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:24

L35	10	29 and ((color or hue or chrom$7) with (component) same (releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:25
L36	21	(((detect$5 or measur$5 or determin$5 or judg$5 or discriminat$5) with (color or hue or chrom$7) with (component)) same ((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5)) with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:33
L37	76	(((detect$5 or measur$5 or determin$5 or judg$5 or discriminat$5) with (color or hue or chrom$7) with (component)) and ((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5)) with (memory or storage) with (space or area or block))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:36
L38	7	(((detect$5 or measur$5 or determin$5 or judg$5 or discriminat$5) with (color or hue or chrom$7) with (component)) and ((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5)) with (memory or storage) with (space or area or block)) and (((encod$5 or compress$5) with (color or hue or chrom$7) with (data or information)) with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:43
L39	1	(((detect$5 or measur$5 or determin$5 or judg$5 or discriminat$5) with (color or hue or chrom$7) with (component)) and ((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5)) with (memory or storage) with (space or area or block) with (color or hue or chrom$7) with component) and (((encod$5 or compress$5) with (color or hue or chrom$7) with (data or information)) with (memory or storage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:48
L40	4	(((detect$5 or measur$5 or determin$5 or judg$5 or discriminat$5) with (color or hue or chrom$7) with (component)) and ((releas$5 or (free$3 not freez$5) or deallocat$5 or de-allocat$5)) with (memory or storage) with (space or area or block) with (color or hue or chrom$7) with component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:51
L41	2	"286974".ap. and haneda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:52

L42	1	41 and (color with component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:52
L43	0	41 and (detect$5 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:52
L44	0	41 and (measur$5 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:52
L45	1	41 and (releas$5 with color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/13 16:52